




Narrow cross point »S« or »NCR«



Product:

Cutting point with a lens-shaped cross-section. The incision follows the direction of the seam.

Result: A very straight seam

Materials:

Suitable for all types of leather

Applications:

Footware manufacture

Manufacture of bags, suitcasas, etc. with coarse ornamental seams

Manufacture of belts and straps



Narrow wedge point »P« or »NW«



Narrow wedge point »PCL«



Narrow wedge point »PCR«





Product:

Cutting point with a lens-shaped cross-section. The incision is made at right angles to the seam direction.

Result: A very strong seam

Materials:

Suitable for all types of leather

Applications:

Footware manufacture

Manufacture of bags, suitcases, accessories

Highlight:

The twist ensures that, when the needle emerges from the material being sewn, the thread is protected in the twist groove and is thus not drawn over the edge of the groove and eye or over the cutting edge and not damaged.

- CL: Left twist groove below eye for hooks positioned to the right of the needle.
- CR: Right twist groove below eye for hooks positioned to the left of the needle. It is particularly useful as the lefthand needle on a twin needle lockstitch machine.



Reverse twist point »LR« or »RTW«

Point symbol:



Direction of seam

Product:

Cutting point with a lens-shaped cross-section. The incision is made at a 45° angle to the direction of the seam.

Result: A decorative seam inclined slightly towards the left

Materials:

Suitable for all types of leather

Applications:


Clothing industry

Footwear manufacture

Manufacture of bags, suitcases

Highlight:

The best needle for decorative seams



Wide reverse twist point »LBR«

or »WD R TW«

Point symbol:



Direction of seam

Product:

Cutting point with a lens-shaped cross-section. The incision is made at a 45° angle to the direction of the seam. The cutting effect is achieved beyond the diameter of the needle.

Result: A raised, decorative seam inclined towards the left

Materials:

Suitable for all types of leather

Applications:

Clothing industry Manufacture of bags, suitcases

Upholstery manufacture

Highlight:

Recommended for decorative seams which characterise the design









Twist point »LLCR«

Point symbol: Direction of seam

Product:

Cutting point with a lens-shaped cross-section. The incision is made at a 135° angle to the direction of the seam.

Result: A slightly recessed, straight seam

Materials:

Suitable for all types of leather

Applications:

LL point:

Footwear manufacture

Manufacture of bags, suitcases

Particularly suitable for shoe repairs

LLCR point:

For the manufacture of footwear, in order to achieve the same seam appearance with the hook positioned to the left of the needle as achieved using the LR point in conjunction with a hook positioned to the right of the needle.



Diamond point »DI« or »DIA«

Point symbol: Direction of seam

Product:

Cutting point with a rhombic crosssection. The centred incision is made in the direction of the seam. The seam appearance corresponds to that achieved with the narrow cross point (S point); however, the four cutting edges of the DI point allow heavy, hard material to be pierced more easily.

Result: A very straight, recessed seam

Materials:

Suitable for heavy, dry, hard leather

Applications:

Footwear manufacture Manufacture of bags, suitcases Manufacture of belts, straps

Highlight:

Absolutely precise and tidy seam appearance

Correct stitch appearance

No needle deflection



Triangular point »D« or »TRI«

Point symbol:



Cutting point with a triangular cross-section.

Result: A straight seam

Materials:

Product:

Suitable for hard, dry leather

Applications:

Manufacture of footwear, especially for heavy footwear (e.g. high-leg boots) Stitching upholstery Stitching plastics, cardboard, heavy pressboard, paper

Highlight:

The best cutting effect of all cutting points





Half triangular point »DH«

Point symbol: Direction of seam

Product:

Cutting point with a triangular cross-section.

Result: A straight seam

Applications:

Stitching upholstery Manufacture of vehicle interiors

Manufacture of tarpaulins, tents, awnings

Materials:

Composites, e.g. laminated material together with plastic sections

Plastic sections

Hard pressboard

Tarpaulin material

Tent canvas



Reverse twist spear point »VR« or »R TW SP«

Point symbol:



Product:

Cutting point with a rhombic cross-section. The incision is made at a 45° angle to the direction of the seam.

Result: A seam inclined slightly towards the left

Better cutting effect than the comparable reverse twist point (LR point)

Materials:

Product:

Suitable for hard dry, leather

Applications:

Footwear manufacture Manufacture of bags, suitcases


Highlight:

Due to the four cutting edges, a correct stitch appearance and no needle deflection is achieved.



Round point with small triangular tip »SD1« or »TRI TIP«

Point symbol:



Direction of seam

small, triangular cross-section. The small triangular tip cuts approx. 10% of the stitch hole, with the remaining 90% being displaced by the conical round point (R point).

Round point with a very

Result: A straight seam A tidy seam appearance

Correct stitch appearance and less needle deflection than with a round point (R point)

Smaller incision than when using a cutting point

Materials:

Fine leather

Clothing made of leather

and imitation leather

Thin, synthetic leather materials

Materials coated with PVC/PUR, e.g. tarpaulins, tents, coated table cloths

Applications:

Stitching leather Stitching plastic Stitching hard fibres Stitching films

Highlight:

Multidirectional sewing:

The stitch appearance remains the same in all sewing directions when using multidirectional sewing techniques (programmable sewing machines).



Choosing the point form:

The point form is determined by the stitching technique and the desired seam appearance.

Needle threading from left to right.

Stitching technique	Seam app	earance	Poir	Point form			
Very strong seams Fine ornamental seams	P/PCL/PCR			Narrow wedge point Narrow wedge point with left twist groove below eye Narrow wedge point with right twist groove below eye			
Normal seams Coarse ornamental seams Very straight seams	2 S	DI	S DI	Narrow cross point Diamond point			
Decorative seams (ornamental seams/normal seams)	Len	VR LE	<u> </u>	Reverse twist point Reverse twist spear point Wide reverse twist point			
Very straight seams	1cm		LL	Twist point			
Coarse/normal seams Cross seams	1cm	DH	D DH	Triangular point Half triangular point			
Embroidery Special features, e.g. ornamentations	S DK	REPORT OF THE PROPERTY OF THE	R SD1	Medium ball point Normal round point Round point with small triangular tip			
Multidirectional sewing	SD1		SD1	Round point with small triangular tip			
Material combinations, composites: - Garments	1 cm	SD1	R SD1	Normal round point Round point with small triangular tip			
– Industrial sector	Describeration of the second o	DH	D DH	Triangular point Half triangular point			



Polyester/Cotton

tex*

No*

4

Stitching

technique

The right needle size:

The stitching technique and the choice of thread determine the needle size.

Two essential criteria must be taken into account:

1. Thread/seam appearance

The needle size is determined by the thickness of the thread and the desired seam appearance

2. Material and material properties

The harder and thicker the material, the thicker the needle must be.

Continuous filament												
	Polyamid 6.6 (Nylon)				Polyester							
Stitching	Yarn size		Needle size		١	Yarn size		Needle size				
technique	No*	tex*	NM	SIZE	No*	tex*	NM	SIZE				
Coarse	4	750	280-330	28-30	4	750	250-300	27-29				
decorative	5	600	250-300	27-29	5	600	250-280	27-28				
seams					6	500	230-250	26-27				
	7	429	230-250	26-27	7	429	200-230	25-26				
	8/9	375/333	200-250	25-27	8/9	375/333	180-200	24-25				
	10/11	300/273	160-230	23-26	10/11	300/273	140-180	22-24				
	12	250	160-230	23-26	12	250	140-180	22-24				
Coarse	13	231	160-200	23-25	13/14	231/214	130-160	21-23				
seams	15	200	160-200	23-25	15/14	200	125-140	20-22				
Seams	1)	200	100-100	23-24	18	167	120-130	19-21				
	20	150	120-160	19-23	20	150	110-130	18-21				
	20	150	120-100	17-23	24/25	125/120	100-130	16-18				
	30	100	100-140	16-22	30	100	100-110	16-18				
	30	100	100 110	10 22	35/36	86/83	110-120	18-19				
Medium	40	75	100-120	16-19	40	75	100-110	16-18				
seams		50	00.400	40.46	50	60	90-100	14-16				
	60	50	80-100	12-16	60	50	80-90	12-14				
	00.00	20/22	70.00	10.17	70	43	75-80	11-12				
	80-90	38/33	70-90	10-14	80/90	38/33	70-80	10-12				
Stay seams	40	75	100-120	16-19	40	75	100-110	16-18				
(heel seams		50	80-100	12-16	60	50	80-90	12-14				
•	80/90	38/33	70-90	10-14	80/90	38/33	70-80	10-12				
					100	30	65-70	9-10				

SCHMETZ tip:

These tables only include the most common threads. Cotton threads, sewing silk and embroidery yarn have been omitted for the sake of clarity.

If you have specific questions concerning these threads, please ask your thread manufacturer.

Coarse 750 230-280 26-28 5 180-250 decorative 600 24-27 180-200 500 24-25 seams 6 375 180-200 8 24-25 375 160-200 23-25 8 12 160-180 23-24 12 140-180 22-24 250 250 Coarse 15 200 140-160 22-23 140-160 20 seams 20 150 22-23 150 120-160 19-23 24 125 130-160 21-23 25 120 120-140 19-22 25 120 110-140 18-22 28 107 120-140 19-22 30 100 120-140 19-22 30 100 110-130 18-21 35/36 110-130 86/83 18-21 35/36 86/83 100-120 16-19 Medium 40 75 100-120 16-19 40 75 100-110 16-18 14-16 seams 50 60 100-110 16-18 50 60 90-100 90-100 60/75 50/40 60/75 90-100 14-16 14-16 50/40 80 38 90-100 14-16 80 38 80-90 12-14 90 33 80-90 12-14 100 30 80-90 12-14 100 30 70-90 10-14

16-19

14-16

14-16

Core Spun

SIZE

Needle size

NM



75

38

50/40

100-110

90-100

80-90

16-18

14-16

12-14

Polyester/Polyester

tex*

Yarn size

No*

40

80

60/75

Needle size

SIZE

NM

Stay seams

(heel seams) 60/75

40

80

75

38

50/40

100-120

90-100

90-100

^{*} No = Label number

tex = Unit of size 1 g/1000 m (e.g. 75 tex = 1000 m yarnweigh 75 g)